MISSISSIPPI STATE DEPARTMENT OF HEALT 2013 JUN 17 AM 8: 49 BUREAU OF PUBLIC WATER SUPPLY CCR CERTIFICATION FORM CALENDAR YEAR 2012

	EAST MADISON WATER ASSOCIATION, INC. Public Water Supply Name
	450007
	List PWS ID #s for all Community Water Systems included in this CCR
The Con syste of e	Federal Safe Drinking Water Act (SDWA) requires each Community public water system to develop and distribute assumer Confidence Report (CCR) to its customers each year. Depending on the population served by the public water, this CCR must be mailed or delivered to the customers, published in a newspaper of local circulation, or provided to the omers upon request. Make sure you follow the proper procedures when distributing the CCR. Since this is the first year lectronic delivery, we request you mail or fax a hard copy of the CCR and Certification Form to MSDH. Please that apply.
	Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
	Advertisement in local paper (attach copy of advertisement) On water bills (attach copy of bill) Email message (MUST Email the message to the address below) Other
	Date(s) customers were informed: 06 06 /2013 / / , / /
	CCR was distributed by U.S. Postal Service or other direct delivery. Must specify other direct delivery methods used
	Date Mailed/Distributed: / /
	CCR was distributed by Email (MUST Email MSDH a copy) As a URL (Provide URL As an attachment As text within the body of the email message
X	CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)
	Name of Newspaper: Madison County Herald
	Date Published: 06 / 06 / 2013
	CCR was posted in public places. (Attach list of locations) Date Posted: / /
	CCR was posted on a publicly accessible internet site at the following address (DIRECT URL REQUIRED):
I her publi the S the Depa	TIFICATION The control of the control of the customers of this control of the customers of this control of the customers of the customers of this control of the customers of this customers of the

Deliver or send via U.S. Postal Service: Bureau of Public Water Supply P.O. Box 1700 Jackson, MS 39215

May be faxed to: (601)576-7800

May be emailed to: Melanie. Yanklowski@msdh. state.ms.us

2013 MAY 24 PM 1: 13

2012 Annual Drinking Water Quality Report East Madison Water Association, Inc. PWS ID#: 0450007 May 2013

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Meridian Upper Wilcox and Cockfield Formation Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identify potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the East Madison Water Association have received lower susceptibility rankings to contamination.

If you have any questions about this report or concerning your water utility, please contact Audrey Mauldin at 601.859.2810. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the second Saturday of each March at 10:00 AM at the Chancery Clerk Building, County Supervisor Board Room.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1st to December 31st, 2012. In cases where monitoring wasn't required in 2012, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

				TEST R	ESULT	$\Gamma \mathbf{S}$		
Contaminant	Violatio n Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Inorganio	Contar	ninants	;					
10. Barium	N	2012	.01	.00501	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natura deposits
14. Copper	N	2008/10*	.4	0	ppm	1.3	AL≃1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives

16. Fluoride**	N	2012	1.02	.935 – 1.02	ppm	4		Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories	
17. Lead	N	2008/10*	1	0	ppb	0		Corrosion of household plumbing systems, erosion of natural deposits	
Volatile Or	gani	ic Contan	ninant	S					
66. Ethylbenzene	N	2012	1.43	No Range	ppb	700	700	Discharge from petroleum refineries	
76. Xylenes	N	2012	5.93	1.24 5.93	ppm	10		Discharge from petroleum factories; discharge from chemical factories	
Disinfection	n By	-Product	S				-		
81. HAA5	N	2012	54	4Q-RAA	ppb	0	6	By-Product of drinking water disinfection.	
82. TTHM [Total trihalomethanes]	N	2012	48	4Q-RAA	ppb	0	8	By-product of drinking water chlorination.	
Chlorine	N	2012	2	.51 – 3.4	mg/l	0	MDRL =	Water additive used to control microbes	

^{*} Most recent sample. No sample required for 2012.

As you can see by the table, our system had no violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these levels.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

To comply with the "Regulation Governing Fluoridation of Community Water Supplies", the EAST MADISON WATER ASSN-WEST is required to report certain results pertaining to fluoridation of our water system. The number of months in the previous calendar year that average fluoride sample results were within the optimal range of 0.7-1.3 ppm was 11. The percentage of fluoride samples collected in the previous calendar year that was within the optimal range of 0.7-1.3 ppm was 72%.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

***** April 1, 2013 MESSAGE FROM MSDH CONCERNING RADIOLOGICAL SAMPLING*****

In accordance with the Radionuclides Rule, all community public water supplies were required to sample quarterly for radionuclides beginning January 2007 – December 2007. Your public water supply completed sampling by the scheduled deadline; however, during an audit of the Mississippi State Department of Health Radiological Health Laboratory, the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice. Although this was not the result of inaction by the public water supply, MSDH was required to issue a violation. This is to notify you that as of this date, your water system has completed the monitoring requirements and is now in compliance with the Radionuclides Rule. If you have any questions, please contact Karen Walters, Director of Compliance & Enforcement, Bureau of Public Water Supply, at 601.576.7518.

The East Madison Water Association, Inc. works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

^{**} Fluoride level is routinely adjusted to the MS State Dept of Health's recommended level of 0.7 - 1.3 mg/l.

RECEIVED-WATER SUPPLY

PROOF OF PUBLICATION THE STATE OF MISSISSIPPI 2013 JUN 17 AM 8: 49 **MADISON COUNTY**

PASTE PROOF HERE

C29403 EAST MADISON WATER - LEGALS, 0200438906 2012 Water Report

PERSONALLY appeared before me, the undersigned notary public in and for Madison County, Mississippi,

ANN MIDDEKE

an authorized clerk of the MADISON COUNTY HERALD, a newspaper as defined and prescribed in Sections 13-3-31 and 13-3-32, of the Mississippi Code of 1972, as amended. who, being duly sworn, states that the notice, a true copy of which is hereto attached, appeared in the issues of said newspaper as follows:

6/6/2013

Size: 6 words / 6.00 col. x 1.00 lines

Published: 1 time(s)

Total: \$9.22

Signed

Authorized Clerk of The Madison County Herald

SWORN to and subscribed before me on 6/6/2013.

Notary Public

RICK TYLER

Notary Public State of Mississippi at Large. Bonded thru Notary Public Underwriters

(SEAL)



2012 Annual Drinking Water Qunity Report *ast Madison Water Association, Inc. PWS ID#, 0450007

RECEIVED-WATER SUPPLY

2013 JUN 17 AM 8: 49

We're pleased to present to you this year's Annuel Quelley Water Neport. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goes is to provide you with a safe and dependable supply of drinking water. We want you to understand he effects we make to confinently improve the water treatment process and optioned. See the confinently improve the water treatment process and optioned. Our water source is from we're drawing from the Meridian Upper Wilson and Cooking Tomath Aquifar.

The source water assessment has been completed for our public water system to determine the creatal susceptibility of its diriking supply to identify potential sources of contembration. A report containing detained information on how the susceptibility determinations made has been formitished to our public water system and is available for viewing sport request. The wells for the East Madison that the property of the contembration of the contembr

If you have any questions about this report or concoming your water utilly, please contact Audrey Maukin at 601,899,2810. We want or valued customans to be informed about their water utility. If you want to fearn more, please eltend any of our regularly scheduled meetings, They are held on this second Saturday of each March at 10.00 AM at the Chancery Clerk building, County Supervisor Board Room.

They are held on the second Saturday of each March at 10.00 AM at the Chancery Clork Building, County Supervisor Board recorn.

We routinely monitor for consistents in your drinking water according to Federal and State Issue. This table below lists all of the drinking water contaminants that were detected during the poince of January, "I to Boards 21", 2012. In easies where membering water trequired in 2015 to table reflects the most recording water trequired in 2015 to table reflects the most recording water trequired in 2015 to table reflects the most recording water trequired in 2015 in acrone cases, molecular memberals and can pick up substances or contaminants are memberal points, and the presentation of the pre

In this table you will find many terms and obbreviations you might not be familiar with. To help you better understand those terms we've provided the following definitions:

Action Lovel - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLOs as feasible using the bost available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goat"(MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to heelth. MCLGs allow for a mangin of safety

Assumum Residual Disinfectant Level (MRDL) — The highest level of a disinfectant silowed in drinking water. There is convincing evidence that addition of a disinfectant is reconstant for control natrobal contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) — The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (opm) or Milligrams per titer (mg/l) - one part par million corresponds to one million in two years or a single poncy in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

	~~~			TEST R	ESULT	rs .		
Contaminant	Violatio Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -pont	MCLG	MCL	Likely Source of Conternination
Inorganie	Contar	ninants			•			
10. Bariero 14. Copper	N	2012	.01	.00501	ppm	2	2	Discharge of dating wastes; discharge from motal refinerles; erosion of natural deposits
16. Fluorida**	H	2008/10*	.4	0	ppm	1.3	AL=1.3	Corresion of household plumbing systems; erosion of natural deposits, leaching from wood preservetives
17 Lead	N	2012	1.02	.935 - 1.02	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factorios
	N	2008/10"	1	0	bbp	0	AL=15	Corresion of household plumbing systems, erosion of natural deposits
Volatile Qu	ganic	Contan	inants					
66. Ethylbenzene 76. Xylonos	N	2012	1.43	No Renge	pab	700	700	Discharge from potroleum refinerios
***************************************	N	2012	5.93	1.24 - 5.93	ppm	10	10 {	Discharge from petroleum factories; discharge from chemical factories
Disinfection								
81. HAA6	1	2012	54	40-RAA	bbp	٥	e	By-Product of drinking water disinfection
Total ribstomethenes)	"	2012	48	4Q-RAA	ρpb	0	6	By-product of drinking water chloringtion,
Chtorine	N	2012	2	.51 - 3.4	mg/l	0	MORL =	Water additive used to control microbes

Answer executive part of a sample required for 2012.

*Floorist level is resulted in plant of the KS bern bein of Houbit's recommended level of 0.7 - 1.3 mg/l.

As you can see by the table, our system had no violations. We're provid that your disclosing water modis or exceeds all Foderal and State
requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has

We are regulard to monitor your drinking water for specific constituents on a monthly basis. Results of regular recritoring are an indicator of whether or not our drinking water meets beetly standards. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the and of the compliance period.

Increase, systems or styr missing sempres price to see one or with completed person. If present, elevated lessels of seed an cause sortice, peaks problems, especially far program woman and young children. Leed in drinking water is primarily from misterials and components near-calculated with service inset and home planting. Our Water Association is reponsible for increased successful problems of the problems of the providing high geologic district, but cannot consider the providing high geologic district providing high geologic district providing high geologic district and expectations of uniform the providing high geologic district providing

To comply with the "Regulation Governing Fluoridation of Community Water Supplies", the EAST MADISON WATER ASSN-WEST is required to roport certain results portaining to fluoridation of our water system. The number of months in the provious calendar year that average months are such several to provide a calendar year that average of 10.71.3 pm was 11. The percentage of fluorida samples collected in the provious calendar year that was within the optimal range of 0.7.1.3 pm was 12%.

All sources of drinking water are subject to potential consmination by substances that are naturally occurring or man made. These substances can be microses, incognitio or organic chemicals and redirective substances. All drinking water, including bottled water, may resociably be expected to continue at least small amounts of some confaminants. The presence of contaminants are present of contaminants and the presence of contaminants and presence of contaminants and present of contaminants and produced in the vater of the presence of contaminants and potential health effects can be obtained by rading the Emiroramental Protection.

Some people may be more vulnerable to contaminants in drinking water than the general population, immuno-compromised parachal such as persons with concert undiggeing channelborager, persons who have undergone organ transplants, people with HUM/DS or other immuno form that the person will be the person of the

In accordance with the Redistructions Rule, all community pulses were required to earning quantity for redistructions beginning and accordance with the Redistructions Rule, all community pulses were required to earning quantity for redistructions beginning January 2007 – December 2007, You publis were supply conviously by the school-cold describer, knowers, during an audit of the Missassipsi Stete Department of Institut Rediscipled Health Laboratory, the English Rediscipled Rediscipled Auditoria and supply and the school-cold Rediscipled Re

The East Madaon Water Association, Inc. works around the clack to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the beart of our community, our way of sits and our children's follow